

	Application No.	Applicant(s)	
	10/615,971	WALES ET AL.	
Notice of Allowability	Examiner	Art Unit	
	Paul Durand	3721	
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.			
1. This communication is responsive to the amendment filed 12/7/2004.			
2.  The allowed claim(s) is/are <u>1,9-11 and 19-21</u> .			
3. The drawings filed on <u>09 July 2003</u> are accepted by the Examiner.			
<ul> <li>4. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).</li> <li>a) All b) Some* c) None of the: <ol> <li>Certified copies of the priority documents have been received.</li> <li>Certified copies of the priority documents have been received in Application No.</li> <li>Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).</li> </ol> </li> <li>* Certified copies not received:</li> </ul>			
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.			
5. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.			
6. CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.			
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached			
1)  hereto or 2)  to Paper No./Mail Date			
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date			
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).			
7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.			
Attachment(s)			
1. Notice of References Cited (PTO-892)	<u> </u>	atent Application (PTO-152)	
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	Paper No./Mail Date	<ol> <li>Interview Summary (PTO-413),</li> <li>Paper No./Mail Date</li> <li>∑ Examiner's Amendment/Comment</li> </ol>	
<ol> <li>Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date</li> </ol>			
Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. ⊠ Examiner's Stateme 9. □ Other	ent of Reasons for Allowance	
•			

Application/Control Number: 10/615,971

Art Unit: 3721

## **EXAMINER'S AMENDMENT**

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with David Franklin on 2/22/2004.

- a. In claim 1, removed lines 12-15 and inserted, --each support plate including ends having a pair of springs longitudinally coupled with both sides of a frame recess formed in the articulation mechanism.—
- b. In claim 9, removed lines 14-17 and inserted, --each support plate including ends having a pair of springs longitudinally coupled with both sides of a frame recess formed in the articulation mechanism.--
- c. In claim 19, removed lines 17-18 and inserted, --each support plate means including ends having a pair of springs longitudinally coupled with both sides of a frame recess formed in the articulation means.--

## **REASONS FOR ALLOWANCE**

2. The following is an examiner's statement of reasons for allowance: the surgical stapler that is comprised of a spring mate to a support plate for articulation and a frame distinguishes it self over the prior art of Milliman, which discloses a support plate disposed in a groove.

Application/Control Number: 10/615,971

Art Unit: 3721

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

## Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Paul Durand whose telephone number is 571-272-4459. The examiner can normally be reached on 0730-1800, Monday - Thursday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Rinaldi I Rada can be reached on 571-272-4467. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic

Paul Durand February 22, 2005

Business Center (EBC) at 866-217-9197 (toll-free).

Rinaldi I. Rada Supervisory Patent Examiner Group 3700